TAKE CARE OF PEOPLE. AND ALSO THE PLANET.



FRENCH MANUFACTURER

jvd.fr

JVD. PRODUCTS THAT TAKE CARE OF YOU

In 2024, JVD will be celebrating its 40th anniversary, a special opportunity to reassert our commitment to quality, innovation and sustainability. Since the company was first founded, it has been our mission to invent and manufacture products that take care of you, your employees, your customers and your visitors.

For us, the concept of care extends well beyond our products, encompassing our commitment to the environment, as well. Last year, our efforts were rewarded by an EcoVadis Gold Medal, in recognition of our commitment to ecodesign and to products made in France. This honour makes us even prouder of the progress we have achieved over the years.

Each and every day, we are hard at work reducing our environmental footprint, whilst continuing to envision the products of tomorrow, made to last.



JVD. Products that care.

CONTENTS

THE COLLECTIONS P. 6-7

SHIELD P. 8-13

HYGIACONNECT P. 14-15

HAND DRYERS P. 16-29

HAIR DRYERS P. 30-31

DISPENSERS P. 32-47

INSECT CATCHERS P. 48-55

BINS P. 56-75

ASHTRAYS P. 76-81



You can find all our eco-designed products at a glance by looking for this "product plus", set against a green background:

3

GECO-DESIGN

WHY CHOOSE JVD?

40 YEARS OF INNOVATION IN THE SERVICE OF WELL-BEING

Backed by four decades of existence – and above all experience – JVD has become **the essential company in field of hygiene for hotels and municipalities**. Thanks in particular to our Engineering Department and our close collaboration with the world of design, JVD is at the forefront of innovation today.

We conceive, design, manufacture and rigorously test all our products. Our strong, meticulous industrial processes guarantee the best possible quality, from the smallest components to our full customer service!

40,000 hand dryers and **400,000** paper and soap dispensers are produced each year at our site in Rezé, France





ALL THE QUALITY OF FRENCH-MADE PRODUCTS

With our international reach, JVD now has a foothold in more than 100 countries around the world. Even so, JVD has intentionally remained a local business.

Based outside Nantes, in France's Loire-Atlantique department, we source components from neighbouring departments, out of a concern for promoting local knowhow and forging lasting relationships with our partners. As a result, many JVD products are manufactured from end to end within a 200 kilometre radius of our base. With JVD, all the quality and innovation of Frenchmade products is exported to you!

100 countries currently benefit from JVD's homegrown expertise



MEETING THE DEMAND FOR OPTIMAL SERVICE

At JVD, **the quality of our customer service is as important as the quality of our products**... and that's saying a lot! Which is why you'll find the same responsiveness, the same attentiveness and the same desire to satisfy all of your requests, whether you're in Nantes or Singapore, Mexico or Germany.

The strength of our sales and customer service teams is built on their ability to put themselves in your shoes and to create a truly **close relationship** with you. Whether you interact with us by phone or by email, you'll feel like your JVD contact is right there with you!

5 days a week, our customer service team is here to listen and deliver personalised service to you

Certification

ECOVADIS Gold, the global standard for CSR assessments

DAY-TO-DAY COM-MITMENTS

Here at JVD, we believe in the role we have to play in our shared future, which is why **eco-responsibility is one of the key pillars of our strategy today**. From design to manufacturing and from transport to use, by way of recycling and repairs, and wherever we have operations, **we are dedicated to reducing our social and environmental impact**.

Between eco-designing our products, making eco-responsible raw material sourcing decisions, reducing our carbon footprint, supporting the solidarity and social economy – namely with the establishment of a partnership with the association Better with Water and our work to combat planned obsolescence – JVD is committed and engaged for the long haul!



OUR COLLECTIONS

JVD offers a broad selection of equipment, lines and colours to adapt to your environment and make it unique. Thanks to our mastery of product design to production, **JVD is the only manufacturer able to offer matching sets** ranging from hand dryers to toilet roll dispensers by way of soap dispensers.

YALISS STAINLESS STEEL OUR STYLISH, ROBUST COLLECTION

Our stainless steel range offers the ideal balance between design and sturdiness. Its look fits into even the highest-end locations. Its vandal resistance, antibacterial treatment and antifingerprint treatment make it the solution of choice for the most demanding settings. Lastly, its antioxidant treatment, applied to real stainless steel, endows it with tremendous resistance to corrosion and an extraordinarily long life.



KIDS OUR COLLECTION FOR THE YOUNGEST USERS

The purpose of our Kids range is to help children to learn the basics of hygiene from a very young age. By making the experience of washing and drying their hands more enjoyable, JVD provides a comprehensive solution, suitable for environments visited by children. Thanks to our powerful yet quiet hand dryers, JVD also helps to keep washrooms clean, with no wet paper roll on the floor and no clogged pipes. By limiting their use of paper products, kids can also participate in the creation of a greener, more sustainable future by reducing the carbon footprint associated with using paper.



YALISS OUR MOST STYLISH COLLECTION

The more pronounced character of the Yaliss collection seeks to give your washrooms a new image combining gentleness with liveliness. The products provide new responses to broader requirements: larger capacities, universal or removable cores and improved hygiene, whilst retaining all the qualities of the Cleanline collection (ease of use, personalisation, etc.). This French-made collection features a decisive design capable of elevating all your washrooms.



CLEANLINE OUR 100% RECYCLED COLLECTION

JVD's teams spent several months working with our partners in the plastics industry on the development and viability of the use of recycled plastic for injecting our parts made of ABS. Made in France using 100% recycled plastic, the Cleanline range pairs elegance with eco-design to meet the needs of establishments that are open to the public. This range is available in white, black and metallic grey. Other advantages include the fact that it is compatible with most consumables on the market, their levels are always visible, and they are easy to access.





OUR AIR PURIFIERS

PAGES 8-13

WELCOME TO THE FUTURE OF HYGIENE, WHERE EVERY BREATH COUNTS

Using our air purifiers means investing in your customers' health, wellness and productivity. Our air purifiers are designed to be the faithful companions of even the most demanding customers, creating spaces where every inhalation is full of efficiency and tranquillity.

THREE GREAT REASONS TO FIT OUT YOUR CUSTOMERS WITH AIR PURIFIERS

1. TO RESPOND TO A PUBLIC HEALTH ISSUE

Recent news stories have raised general awareness of the need to take care of our indoor air. Our purifiers effectively meet your customers' health and social needs. Indoor air tends to be eight times more polluted that outdoor air, and our solutions deliver a targeted response to that reality.

2. TO REDUCE THE ECONOMIC IMPACT OF POOR INDOOR AIR QUALITY

The numbers speak for themselves! The cost of poor air quality in the workplace averages out at 440 per year, per employee. Our purifiers provide a proactive solution that improves productivity and cuts health-related costs, positioning your customers for economic efficiency.

3. TO PROTECT THE MOST SENSITIVE INDIVIDUALS

Our air purifiers are specially designed to meet the health needs of the most sensitive groups, such as care home residents and small children. These devices offer optimal protection, guaranteeing environments that are free of any health risks and demonstrating our commitment to everyone's well-being.

THE SHIELD, FOR COMMON AREAS



SHIELD

O Cream White REF 8 77 2127-WH

Malachite Green REF 8 77 2127-GR

Sapphire Blue REF 8 77 2127-BL

Bronze REF 8 77 2127-BR

 Matte Black REF 8 77 2127-BK



Thanks to its core, created using unique technology, the Shield uses no consumables (HEPA filters) REF 8 77 2130





SHIELD COMPACT



REF 8 77 2134-BL

REF 8 77 2134-BK

MADE IN FRANCE

+ PRODUCT PLUSES

PATENTED

TECHNOLOGY Smart Mineralisation®

AWARD-WINNING DESIGN

PROVEN EFFECTIVE

against allergens, contaminants, pollutants, odours and more

ECO-DESIGN

CHARACTERISTICS

- Purification area: 20-60 m²
- 2 operating modes: Continuous / Boost
- Min/max noise level: 38/68 dB
- Power supply: 200-240 V
- Max power: 85 W
- Cover material: Epoxy steel
- Max air flow: 400 m³/hr
- Core (ref. 8 77 2130) replacement recommended every three years
- Weight (kg): 8.75



+ PRODUCT PLUSES

COMPACT AND LIGHTWEIGHT

- PATENTED TECHNOLOGY Smart Mineralisation®
- **DINIQUE DESIGN**

ECO-DESIGN

CHARACTERISTICS

- Purification area: up to 20 m²
- 2 operating modes: Continuous / Boost
- Noise level: 36 dB
- Supply voltage: 12 V
- Power: 22 W
- Electrical insulation: Class III
- Universal anti-theft system (ref.
- 2 10 2097)
- Cover material: Anodised aluminium
- Smart HEPA filter (ref. 8 77 2130) replacement recommended every year
- Weight: 805 grams

O Cream White

Malachite Green

Sapphire Blue

Matte Black

REF 8 77 2134-GR

AN AIR PURIFIER FOR EVERY SPACE

FOR OFFICES

perspiration, etc.)

and break rooms

meeting rooms

Benefits: Increased productivity, concentration, comfort and management of odours (from food,

Shield: Conference rooms, dining rooms

Shield Compact: Individual offices and small






FOR CARE HOMES / CHILDCARE CENTRES / MUNICIPALITIES Benefits: Management of strong odours and reduced risk of crosscontamination

Shield: Common areas like elderly day care rooms, activities rooms, game rooms and treatment rooms

Shield Compact: Private bedrooms and near changing tables





FOR MEDICAL PRACTICES Benefits: Reduced risk of crosscontamination (seasonal viruses, bacteria, etc.) and improved management of strong body odour

Shield: Waiting rooms

Shield Compact: Exam rooms and treatment rooms

A COMBINATION OF UNPARALLELED RESULTS AND A MASTERFUL DESIGN

PATENTED TECHNOLOGY:

SMART MINERALISATION®

Our air purifiers capture and destroy pollutants. They have been tested by independent labs, using the protocols of the most demanding standards on the market.

ZERO CONSUMABLES

Not only does Smart Mineralisation[®] deliver unparalleled results, but it also allows the device's technological components to self-decontaminate, eliminating the need to frequently restock or replace consumables.

DESIGN BY RAMY FISCHLER

The Shield range of air purifiers was crafted by designer Ramy Fischler, a member of the French Order of Arts and Letters since 2016, named Designer of the Year in 2018.











The Smart Mineralisation® technology used in our Shield devices requires no consumables or filters that have to be replaced. Our air purifiers were designed to last, using easily recyclable materials like steel.

HYGIACONNECT® THE SMART CLEANING SOLUTION THAT

PREVENTS DISSATISFACTION AND CUTS COSTS

MADE IN FRANCE

BENEFITS OF THE SOLUTION



- Avoid outages of consumables and full waste bins thanks to real-time remote monitoring
- Optimise consumables management by monitoring usage over time
- Calculate service quality by continuously measuring the quality of service rendered





REAL-TIME MONITORING

HygiaConnect[®] provides an **overview** of any points of dissatisfaction due to consumables outages or bin fullness levels.



Whenever a piece of smart equipment approaches a critical threshold, HygiaConnect[®] sends you an alert, so you can arrange for servicing as soon as possible.



The HygiaConnect[®] solution provides an **overview of all your managed sites** and can be used to fuel discussions thanks to the various data it collects.

THE MOST COMPREHENSIVE RANGE DEDICATED TO **SMART CLEANING**

WASTE MANAGEMENT

Prevents bins filling completely

I





LADYBOX REF 8992071HC01

40 L BIN White REF 8991745HC01 Black REF 8991991HC01 Stainless REF 8992114HC01

CONSUMABLES MANAGEMENT

Avoid outages of consumables **SOAP / HAND SANITISER / FOAM**



HAND SANITISING STATION Gel White REF 8441545HC01TO Black REF 8442053HC01TO



JUMBO 400 White **REF 8992051HC01** Black **REF 8991546HC01** Stainless **REF** 8992103HC01

PAPER TOWEL DISPENSERS



Black REF 8992057HC01

Stainless REF 8992102HC01

CLEANTECH White REF 8991547HC01 Black REF 8992082HC01

HygiaConnect® is fully integrated with

MOVEWORK FLOW

MoveWORK Flow, the all-in-one platform for facility management. HygiaConnect and MoveWORK Flow are both 100% compatible plug and play solutions. Take advantage of the power of a comprehensive solution!

THE SOLUTION'S PLUSES

EASY TO ROLL OUT LoRa® connectivity OPEN

Compatible with all types of soap, hand sanitiser and paper sizes

EASY TO INSTALL No electrical connection

required

TRANSPARENCY Fully transparent access to 100% of data



FOR MORE INFORMATION jvd.fr



OUR HAND DRYERS PAGES 16-29

DON'T GO SOFT WHEN CHOOSING A HAND DRYER

A hand dryer should not be chosen at random. Whether your constraints relate to usage, maintenance, noise or vandal resistance, we have a large array of equipment suited to your environment.



JVD will be celebrating its 40th anniversary in 2024. For this special occasion, we will be extending the warranties on certain models of hand dryers to 10 years, for any purchases made in 2024! The extended warranty can be activated on jvd.fr.

MORE ECONOMICAL THAN PAPER

Now that paper pulp has more than doubled in price, jet air hand dryers are the only solution that can guarantee cost control in high-traffic washrooms. With their fast drying time, hand dryers are ten times less expensive than paper towels.

MORE ECOLOGICAL THAN DISPENSERS

It takes **17 trees** to produce one tonne of paper. Its manufacturing and transport then generate significant amounts of CO2. In this respect, hand dryers are the ideal solution for reducing your ecological footprint. **Next-gen jet air hand dryers consume very little energy, and the absence of consumables renders the impact of transport anecdotal at best.**

COMFORT AT ANY TEMPERATURE

If the washroom in question has little to no heating, a cold sensation during hand drying can be unpleasant. In these cases, opt for **a hand dryer which uses evaporation or jet air with a heating element**.

AVOID NOISE POLLUTION WITH RELEVANT MODELS

The sound of a hand dryer can become a nuisance if located nearby an office or restaurant dining room. **Most hot air hand dryers are relatively quiet.** Some jet air hand dryers also manage to combine power with a low noise level.

PUT AN END TO VANDALISM

Standard NF EN 62262 provides a clear interpretation of the level of vandal resistance with the IK index. IK10 is the highest level of resistance. A device of this type is able to tolerate at least a blow from a 5 kg sledgehammer. Devices with an aluminium or steel cover are even more resistant.



For the last 40 years, JVD has been developing and manufacturing products which take care of people. So, it was only natural for us to **join the association Better with Water** in its fight for continuous access to high-quality running water at home and for the development of collective awareness of the importance of hygiene in underprivileged urban neighbourhoods. In 2023, JVD donated €16,000 to the association, equivalent to 16,000 hygiene kits.

A HAND DRYER FOR EVERY SPACE

RESTAURANTS



They experience heavy washroom usage for short periods of time. The Stell'air delivers rapid drying speed and, thanks to its quiet design, is suitable for the peaceful, sophisticated atmospheres of the most intimate restaurants.

GYMS



Their washrooms are often poorly heated, if not unheated, and experience spikes in usage. The Copt'air S, which is fitted with an automatically activated heating element, guarantees quick drying times and an enjoyable experience.

SHOPPING CENTRES & AIRPORTS



The washrooms in shopping centres and airports are subject to intense usage. The Exp'air, which comes with a brushless motor, is designed to handle very heavy foot traffic and is also suitable for all types of users (children and adults of all mobility levels), thanks to its unique design.

MUNICIPALITIES



Washrooms in local government buildings tends to receive limited foot traffic, but these devices may be subjected to acts of vandalism. The Master hand dryer, with its IK10 steel cover and its very long lifespan, is the perfect choice for this purpose.

ENVIRONMENTS SUBJECT TO UNPLEASANT **ODOURS**




Whether dealing with sewer backups or other bad odours, some washrooms can really put their users to the test. The Sup'air Fresh combines rapid drying with odour neutralisation, thanks to a patented JVD innovation featuring zero chemical and zero consumables.

OFFICES



To maintain a peaceful atmosphere that's conducive to work whilst delivering quick hand drying, the Stell'air is the perfect hand dryer for use in offices.

BARS



The compactness and quick drying time of the Sup'air is perfectly suited to this type of washroom, with its highly variable foot traffic and, in many cases, confined spaces.

HOSPITALS & OTHER MEDICAL INSTITUTIONS

In these locations that demand impeccable hygiene and that receive a wide variety of different users, the **Exp'air** guarantees a clean floor thanks to its water collection tray, while its unique design makes it suitable for use by people with reduced mobility.

INDUSTRY



In this demanding environment, where washrooms experience major spikes in usage during breaks, the Copt'air is ultra-sturdy thanks to its IK10 aluminium cover and delivers incomparably quick drying times.

SCHOOLS



What could be a better place for kids to learn to dry their hands than a school washroom? With the Exp'air and Sup'air Kids, JVD has the perfect solution for practising good habits in a fun way and delivering flawless hand hygiene.

CHOOSING THE RIGHT HAND DRYER

	9	5			5 IA	Ľ				0
	EXP'AIR	STELL'AIR	COPTAIR	SUP'AIR	SUP'AIR FRESH	AIRWAVE	MASTER	TORNADE	ZEPHYR	OURAGAN
ANTI-VANDALISM	Aluminium cover	●● IK10 ABS	Aluminium / stainless steel cover	● IK9 ABS	● IK9 ABS	●● IK10 ABS	Aluminium cover	●● IK10 PC-ABS	●● IK10 PC-ABS / Bioplastic	••• Steel cover
PEOPLE WITH REDUCED MOBILITY OR SMALL CHILDREN	•••		● ● Accessible height	●● Accessible height	Accessible height		●● Accessible height	●● Accessible height	●● Accessible height	● ● Accessible height
DRYING TIME	••• 10-15 sec	••• 10-15 sec	•••	•••	•••	••• 15-20 sec	•• 20-30 sec	•• 20-30 sec	•• 20-30 sec	•• 20-30 sec
HOT AIR	No	No	Yes Automatically activatable in the S model	No	No	Yes Automatically activatable	Yes Heating element	Yes Heating element	Yes Heating element	Yes Heating element
USAGE	High (Exp'air) / Intensive (Exp'air+)	High	High	High	High	High	Intensive	Intensive	Moderate	Moderate
NOISE LEVEL	●● 75-78 dB	● ● ● 73 dB	• 80 dB	● ● 75 dB	• • 75 dB	• 77 dB	••• 70 dB	••• 70 dB	● ● ● 69 dB	• 78 dB
HYGIENE	Copper filter Antibacterial coating Water collection tray	Copper filter Antibacterial coating Water collection tray	Antibacterial filter (optional)	Antibacterial filter (optional)	Destruction of unpleasant odours in washrooms	Air filter Water collection tray				
MAINTENANCE	Clean filter & collection tray	Clean filter & collection tray	Clean filter (optional)	Clean filter (optional)	No specific maintenance	Clean filter & collection tray	No specific maintenance	No specific maintenance	No specific maintenance	No specific maintenance
MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE		MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE	
HEIGHT (mm)	430	531	285 / 284 (Stainless)	292	292	467	290	302	243	240
WIDTH (mm)	343	340	232 / 225 (Stainless)	216	216	250	265	265	215	267
DEPTH (mm)	237	262	196 / 195 (Stainless)	195	195	165	132	140	195	200
POWER	800 W 1000 W (Exp'air+)	800 W	600 W 1500 W (Copt'air S)	600 W	600 W	1400 W	2 000 W	2 000 W	2000 W	2500 W
CERTIFICATIONS	CE - IP44 Class II	CE - IP44 Class II	CE - IP24 Class II	CE - IP24 Class II	CE - IP24 Class II	CE - IP24 Class II	CE - IP23 Class II	CE - IP23 Class II	CE - IP23 Class II	CE - IP21 Class I

100





THE HAND DRYER THAT NEUTRALISES UNPLEASANT ODOURS





SUP'AIR FRESH AUTOMATIC Matte Black REF 8 11 2178



SUP'AIR FRESH AUTOMATIC Metal Grey REF 8 11 2177



SUP'AIR FRESH AUTOMATIC White REF 8 11 2159



FOR EVERY HAND DRYER PURCHASED,

WE WILL DONATE 1 HYGIENE KIT IN THE PHILIPPINES

MADE IN FRANCE PRODUCT PLUSES Neutralises unpleasant odours without consumables or chemicals PATENTED INNOVATION CHARACTERISTICS

- Drying time: 10-15 seconds
- Usage: High
- Noise level: 75 dB
- Anti-vandalism: IK9 ABS cover
- Illuminated drying zone
- Rated power: 600 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP24
- Finishes: Matte Black, Metal Grey or White
- Dim. (mm): 216 (W) x 292 (H) x 195 (D)




SUITABLE FOR ANY USAGE LEVEL



EXP'AIR

DESIGNED AND MANUFACTURED IN FRANCE, THIS DEVICE FEATURES A **COMBINATION OF TECHNOLOGIES**. FIND OUT HOW EACH COMPONENT WAS PLANNED AND CHOSEN TO PRODUCE OPTIMAL RESULTS.





SUITABLE FOR ALL USAGE LEVELS

Available in a digital / brushless motor version (Exp'air+) for locations with intensive usage or with a brush motor for high traffic areas (Exp'air).





FOR EVERY HAND DRYER PURCHASED,

WE WILL DONATE 1 HYGIENE KIT IN THE PHILIPPINES

STELL'AIR





STELL'AIR AUTOMATIC Matte Black REF 8 11 1761

BACTERICIDAL COPPER FILTER
REF 5 90 2014



STELL'AIR AUTOMATIC

White

REF 8 11 962

STELL'AIR AUTOMATIC Metal Grey REF 8 11 963

> DRAINAGE KIT REF 5 30 1719



- Drying time: 10-15 seconds
- Usage: High
- Noise level: 73 dB
- Anti-vandalism: IK10 ABS cover made of 25% recycled plastic
- Illuminated drying zone
- Bactericidal copper filter included
- 1 L water collection tray
- Rated power: 800 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP44
- Finishes: Matte Black, Metal Grey or White
- 3 year warranty + 7 years
- Dim. (mm): 340 (W) x 531 (H) x 262 (D)



FOR EVERY HAND DRYER PURCHASED,

WE WILL DONATE 1 HYGIENE KIT IN THE PHILIPPINES

SUP'AIR





SUP'AIR AUTOMATIC Matte Black REF 8 11 1760



Metal Grey REF 8 11 1057 SUP'AIR AUTOMATIC

White

REF 8 11 1056

ANTIBACTERIAL FILTER REF 5 30 1899

SUP'AIR KIDS PACK



MADE IN FRANCE

+ PRODUCT PLUSES

- + Excellent quality-price ratio
- + Compact
- + Very low energy consumption
- ECO-DESIGN
 25% recycled plastic Ultrasturdy ABS
- 10 YEAR WARRANTY

CHARACTERISTICS

- Drying time: 10-15 seconds
- Usage: High
- Noise level: 75 dB
- Anti-vandalism: IK9 ABS cover made of 25% recycled plastic
- Illuminated drying zone
- Antibacterial filter (optional)
- Rated power: 600 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP24
- Finishes: Matte Black, Metal Grey or White
- 3 year warranty + 7 years
- Dim. (mm): 216 (W) x 292 (H) x 195 (D)
- Reference: 9000100G2
 2 year extended warranty

FOR EVERY HAND DRYER PURCHASED,

WE WILL DONATE 1 HYGIENE KIT IN

THE PHILIPPINES

COPT'AIR / COPT'AIR S



		COPT'AIR	COPT'AIR S With heating element*
-	Stainless	REF 8 11 1790	REF 8 11 1791
	Black	REF 8 11 1377	REF 8 11 1624
	Grey	REF 8 11 1168	REF 8 11 1623
	White	REF 8 11 1167	REF 8 11 1622

MADE IN FRANCE

+ PRODUCT PLUSES

100% VANDALISM PROTECTION Aluminium or stainless steel cover

AVAILABLE WITH A HEATING ELEMENT With automatic activation (Copťair S)



+ INNOVATION

Rotating nozzle for enhanced efficiency and new sensations

ECO-DESIGN

10 YEAR WARRANTY

CHARACTERISTICS

- Drying time: 10-15 seconds
- Usage: High
- Noise level: 80 dB
- Anti-vandalism: Aluminium or cover stainless steel cover
 - Illuminated drying zone
 - Antibacterial filter (optional, not available on the Copt'air S): REF 5 30 1899
 - Rated power:
 - Copt'air Automatic: 600 W Copt'air S Automatic: 1500 W
 - Power supply: 220-240 V 50 Hz
 - CE Class II IP24
 - Finishes: Stainless Steel, Black, Metal Grey or White
 - 3 year warranty + 7 years
 - Alum. dim. (mm): 232 (W) x 285 (H) x 196 (D)
 - Stainless dim. (mm): 225 (W) x 284 (H) x 195 (D)



FOR EVERY HAND DRYER PURCHASED,

WE WILL DONATE 1 HYGIENE KIT IN THE PHILIPPINES

* With a heating element which automatically activates when the temperature in the room drops below 25°C

AIRWAVE



AIRWAVE AUTOMATIC Metal Grey REF 8 11 684



AIRWAVE AUTOMATIC White REF 8 11 707

+ PRODUCT PLUSES

+ ULTRA-FAST DRYING

- + Automatically activatable heating element
- + Water collection tray
- **B**ECO-DESIGN
 - Low energy consumption

CHARACTERISTICS

- Drying time: 15-20 seconds
- Usage: High
- Hot air: Automatically activatable heating element
- Noise level: 77 dB
- Vandalism protection: IK10 ABS
- Air filter included
- 600 ml water collection tray
- Rated power: 1400 W (600 W without heating element)
- Power supply: 220-240 V 50 Hz
- CE Class II IP24
- Finishes: Metal Grey or White
- 2 year warranty
- Dim. (mm): 250 (W) x 467 (H) x 165 (D)

TORNADE



TORNADE AUTOMATIC Chrome REF 8 11 292



TORNADE AUTOMATIC White ABS or Composite REF 8 11 251 / 8 11 252

MASTER



MASTER AUTOMATIC Brushed Chrome REF 8 11 414



MASTER AUTOMATIC White Epoxy REF 8 11 413

OURAGAN



OURAGAN AUTOMATIC Chrome REF 8 11 378



OURAGAN AUTOMATIC White REF 8 11 341



- Vandalism protection: Pressed steel
- Rated power: 2 500 W
- Power supply: 220-240 V 50 Hz
- CE Class I IP21
- Finishes: Chrome or White
- 2 year warranty
- Dim. (mm): 267 (W) x 240 (H) x 200 (D)

ZEPHYR *BIO*



Made of biosourced plastic **created from processed scallop shells** consumed in France

ZEPHYR BIO REF 8 11 1805

ZEPHYR



ZEPHYR AUTOMATIC Black REF 8 11 1400



ZEPHYR AUTOMATIC White REF 8 11 1401



ZEPHYR AUTOMATIC Blue REF 8 11 1402



ZEPHYR AUTOMATIC Red REF 8 11 1403



ZEPHYR AUTOMATIC Light Blue REF 8 11 1404



ZEPHYR AUTOMATIC Neon Green REF 8 11 1462

MADE IN FRANCE

+ PRODUCT PLUSES

- + Excellent quality-price ratio
- + Anti-vandalism
- ECO-DESIGN
 - 54% recycled plastic (Zephyr Bio), 46% for other colours

10 YEAR WARRANTY

CHARACTERISTICS

- Drying time: 20-30 seconds
- Usage: Moderate
- Noise level: 69 dB
- Illuminated drying zone
- Rated power: 2 000 W
- Anti-vandalism: IK10 ABS cover
- Power supply: 220-240 V 50 Hz
- CE Class II IP23
- Finishes: Black, White, Red, Neon Green, Blue or Light Blue
- 3 year warranty + 7 years
- Dim. (mm): 210 (W) x 243 (H) x 195 (D)



OUR HAIR DRYERS

PAGES 30-31

ESTABLISHMENTS OPEN TO THE PUBLIC

Whether installed at a swimming pool or a gym, in a changing room or a hotel room, our products will adapt to any environment.

MADE IN FRANCE **PRODUCT PLUSES**

 Longevity (induction motor) Corrosion resistant in chlorinated atmospheres On/off button to simplify maintenance

CHARACTERISTICS

• Usage: Intensive (induction motor)

Anti-vandalism: IK10 ABS cover

• Power supply: 220-240 V - 50 Hz

150 (w) x 348 (H) x 384 (D)

• Finishes: Matte Black, White, Blue or

• Noise level: 70 dB

· CE - Class II - IP23

Red • 3 year warranty • Wall mount dim. (mm): 138 (W) x 1153 (H) x 148 (D) • Hair dryer dim. (mm):

• Rated power: 2 000 W

Adjustable height

180° rotation Quiet (70 dB)

NEPTUNE



NEPTUNE Matte Black REF 8 22 1762



REF 8 22 1405



REF 8 22 1406



Red REF 8 22 1407



Ð OPTIONAL Neptune Mirror REF 8 99 1804



CALISTO

DRAGON



DRAGON REF 8 22 009



PRODUCT PLUSES

- Quiet (70 dB)
- Longevity (induction motor)
- Corrosion resistant in chlorinated atmospheres

CHARACTERISTICS

- Usage: High
- Noise level: 70 dB
- Anti-vandalism: IK10 ABS
- cover • Dust filter
- Rated power: 2100 W
- Power supply: 220-240 V -50 Hz
- · CE Class II IP23
- 3 year warranty
- Dim. (mm): 255 (W) x 280 (H) x 140 (D)



CALISTO 2000 W

+ universal black wall mount Matte Black

REF 8 22 1632

CALISTO 2000 W + socket Matte Black



PRODUCT PLUSES

- Brushless motor with a very long lifespan
- Power: 2000 W
- Fitted with an ionising system

CHARACTERISTICS

- Power supply: 230 V 50-60 Hz
- · 6 drying configurations: Air flow: 55 or 85 m³/hr
- 3 temperatures
- A button for cold air
- CE Class II IP20
- Zone 2
- 3 year warranty
- Dim. (mm): 264 (W) x 266 (H) x 90 (D)
- Cable length: 2270 mm



REF 8 44

I P. 38 YALISS STAINLESS SOAP DISPENSER **REF 8 44 2104**

YALISS STAINLESS ZIG-ZAG DISPENSER **REF 8 99 2102**

| P. 61

d

STAINLESS STEEL BIN REF 8 99 2114

OUR DISPENSERS

PAGES 32-47

FIND YOUR FUTURE DISPENSERS IN NO TIME FLAT

With their optimised design and ergonomics, our dispensers are conceived and developed to be easy to use and maintain.



MODELS THAT WORK WITH ANY CONSUMABLES

JVD's dispensers are considered to be "open" solutions, meaning any brand of consumable can be used in them (including brands which only offer proprietary equipment). Our soap dispensers feature built-in containers which can be filled with soap in bulk (from jugs, for example). This solution is more economical and more ecological (less packaging).

FOLDED OR ROLLS: CHOOSE THE RIGHT PAPER!

Disposable folded paper is compatible with our Zig-Zag devices. They are classified according the how the sheets are folded:

- Interleaved paper: W or Z
- Zig zag paper: V
- Folder paper: C.

Disposable paper rolls with cores are compatible with auto cut devices. They come in the form of spools of different diameters and different lengths. Please note that some spools are only compatible with proprietary solutions. Disposable paper rolls without cores are compatible with centre pull devices.

AUTOMATIC SOAP DISPENSERS: SO CONVENIENT

Automatic soap/hand sanitiser dispensers are becoming increasingly common in washrooms. **They are more hygienic as no contact with the device is required.** They can also be more economical by limiting the flow.

GEL OR FOAMING SOAP / HAND SANITISER: WHICH IS THE MOST ECONOMICAL?

Our soap dispensers come in multiple formats. The most common one on the market is designed for gel soap / hand sanitiser. Dispensers also come in foaming soap versions. With the right pump, this solution can reduce consumption as follows:

soap consumption cut by up to a factor of fourup to 50% less water usage.

All our soap dispensers are fitted with pumps that regulate the flow of soap, to prevent it from spattering on users' clothes or in their eyes.

PLASTIC: UP TO 100% RECYCLED

The Cleanline range has taken a major step forward by using 100% recycled materials. If an environmentally friendly approach to impeccable hygiene is important to you, then these products are the ones you want.



MADE IN FRANCE

The Cleanline collection is compatible with most consumables on the market. Their levels are always visible, and they are easy to access. This range is completely personalisable and can bear the distributor's brand name or logo.





CLEANLINE JUMBO 200 TR DISPENSER Black cover REF 8 99 1380

CLEANLINE JUMBO 400 TR DISPENSER Black cover

REF 8 99 1381



CLEANLINE JUMBO 200 TR DISPENSER Metal Grey cover

REF 8 99 734

CLEANLINE JUMBO 400 TR DISPENSER Metal Grey cover REF 8 99 735



CLEANLINE JUMBO 200 TR DISPENSER White cover

REF 8 99 602

CLEANLINE JUMBO 400 TR DISPENSER White cover

REF 8 99 603

MADE IN FRANCE

MADE IN FRANCE

+ PRODUCT PLUSES

 Easy to tear right or left thanks to chiselled blades
 ECO-DESIGN

CHARACTERISTICS

- 100% recycled plastic
- Capacity: 200 / 400 m roll
- Core: Ø 45 mm
- Paper level indicator
- 4 mounting points
- 200 m model dim. (mm): 245 (W) x 275 (H) x 120 (D)
- 400 m model dim. (mm): 285 (W) x 320 (H) x 120 (D)

Optional:

- Possibility of installing a fixed key only for the Cleanline White collection (ref. 2 10 1697)
- Adjustable cores for the Jumbo 400: 60 mm (ref. 2 10 1439) or 50 mm (2 10 1412)

CLEANLINE MAXI / MINI TP DISPENSERS



CLEANLINE MAXI TP White cover REF 8 99 607



CLEANLINE MAXI TP Black cover REF 8 99 2175



CLEANLINE MINI TP White cover REF 8 99 608 MADE IN FRANCE

+ PRODUCT PLUSES

🔁 ECO-DESIGN

CHARACTERISTICS

- 100% recycled plastic
- Capacity:
- Cleanline Mini TP dispenser: 2 packets (ref. 8 99 608)
- Cleanline Maxi TP dispenser: 4 packets (ref. 8 99 607 / 8 99 2175)
- 4 mounting points
- Mini dim. (mm): 137 (W) x 145 (H) x 122 (D)
- Maxi dim. (mm): 145 (W) x 275 (H) x 135 (D)

Optional:

Possibility of installing a fixed key (ref. 2 10 1697)

MADE IN FRANCE

+ PRODUCT PLUSES

+ Adjustable tightness to

slow dispensing

ECONOMICAL:

ECO-DESIGN

Ø 205 mm)

Optional:

• 4 mounting points

Adjustable tightness

CHARACTERISTICS

• Capacity: 450 sheets (spool:

• Dim. (mm): 220 (W) x 310 (H) x 220 (D)

Possibility of installing a fixed key (ref. 2 10 1697)

CLEANLINE **ZIG-ZAG**



CLEANLINE ZIG-ZAG Black cover REF 8 99 1382



CLEANLINE ZIG-ZAG Metal Grey cover REF 8 99 733



CLEANLINE ZIG-ZAG White cover REF 8 99 604



CLEANLINE FIXED KEY REF 2 10 1697

CLEANTECH AUTOMATIC PAPER DISPENSER



CLEANTECH Matte Black REF 8 99 1763



White REF 8 99 845



Optional:

- Exclusive for the Cleanline collection
- Permanent key to affix to the device
- · Prevents the problem of lost keys

PRODUCT PLUSES

Optimised hygiene: No

Antistatic roll to prevent

CHARACTERISTICS

• White or Black ABS cover

Max diameter (mm): 216

• Adjustable core diam. (mm):

• Dim. (mm): 309 (W) x 398 (H)

Max width (mm): 210

Easy tear paper

jams

Capacity:

38-51

• Weight (kg): 3

x 252 (D)

contact with the device



DISPENSER Black cover REF 8 99 1383



CLEANLINE MAXI PULL DISPENSER Metal Grey cover REF 8 99 736



CLEANLINE MAXI PULL DISPENSER White cover



CLEANLINE

MINI PULL



- Capacity: 200 sheets (spool: Ø 130 mm)
- 4 mounting points
- Dim. (mm): 145 (W) x 275 (H) x 135 (D)

Optional:

Possibility of installing a fixed key (ref. 2 10 1697)

CLEANLINE MINI PULL DISPENSER White cover


CLEANLINE MINI PULL

DISPENSER

Black cover

REF 8 99 2207

REF 8 99 606





CLEANLINE KIDS FOAMING SOAP DISPENSER REF 8 44 478 KIDS

CLEANLINE KIDS GEL SOAP/HAND SANITISER DISPENSER REF 8 44 479 KIDS

- cleaning
 100% recycled plastic (excl. container
- and pump)Flow: 0.5 or 1 ml per pump (gel)
- Locks with a key
- Meets HACCP requirements
- 1 year warranty
- Dim. (mm): 110 (W) x 206 (H) x 106 (D)



MADE IN FRANCE

The Yaliss collection was specially designed to be easy to install and maintain. These dispensers were created to handle any size of paper, including large formats. The Yaliss collection is completely personalisable and can bear the distributor's brand name or logo.

YALISS JUMBO 400 SMART OPTION ۱) Available with HygiaConnect® MADE IN FRANCE (cf. pages 14-15) + PRODUCT PLUSES **ERGONOMIC** Easy to tear right or left thanks to chiselled blades YALISS JUMBO 400 DISPENSER Stainless Steel REF 8 99 2103 UNIVERSAL Universal core + Locks securely with a key **PRODUCT PLUSES** + Practical: Easy to restock consumables Premium design ECO-DESIGN • 100% antibacterial Corrosion resistant. CHARACTERISTICS anti-vandal 304 stainless steel • Material: - 8 99 2103: 304 stainless steel - 8 99 1764: 100% recycled plastic - 8 99 955: 50 % recycled plastic • Capacity: 1 roll: 400 m - Ø 295 mm max Universal core Paper level indicator • 4 mounting points • Dim. (mm): 310 (W) x 334 (H) x 123 (D) YALISS JUMBO 400 DISPENSER YALISS JUMBO 400 DISPENSER Matte Black White REF 8 99 1764 REF 8 99 955

YALISS MINI MIXED TP DISPENSER



YALISS MINI MIXED TP DISPENSER White

REF 8 99 954



UNIVERSAL A removable core makes this device suitable for roll or sheet by sheet dispensing

YALISS ZIG-ZAG DISPENSERS







YALISS ZIG-ZAG Matte Black REF 8 99 1792



YALISS MAXI PULL DISPENSER

YALISS ZIG-ZAG Stainless Steel

REF 8 99 2102



YALISS MAXI PULL DISPENSER White

REF 8 99 956



ECONOMICAL Adjustable tightness



- Capacity: 450 sheets (spool:
- Ø 230 mm)
- Paper level indicator
- 4 mounting points
- Dim. (mm): 260 (W) x 305 (H) x 240 (D)

YALISS AUTOMATIC DISPENSERS

SMART OPTION 1)

Available with HygiaConnect[®] (cf. pages 14-15)



YALISS GEL SOAP / HAND SANITISER DISPENSER Stainless Steel

REF 8 44 2104

YALISS FOAMING SOAP DISPENSER Stainless Steel

REF 8 44 2158



YALISS GEL SOAP / HAND SANITISER DISPENSER Matte Black cover REF 8 44 1765

YALISS FOAMING SOAP DISPENSER Matte Black cover





YALISS GEL SOAP / HAND SANITISER DISPENSER White cover REF 8 44 1448

YALISS FOAMING SOAP DISPENSER White cover





STATIONS HAND SANITISING

Available with HygiaConnect® (cf. pages 14-15)





YALISS AUTOMATIC HAND SANITISER STATION 1 L White REF 8 44 1448T01




YALISS AUTOMATIC HAND SANITISER STATION 1 L Matte Black REF 8 44 1765T01



SET OF CASTERS

REF 5 30 2764

PRACTICAL Optional set of 4 casters (2 with breaks, 2 without) + hardware





The metal collection has anti-vandal features. Thanks to its steel anti-vandal cover and frame, it is highly impact resistant. It is easy to refill, clean and maintain, making it suitable for use in a wide variety of settings. The equipment in our metal range features a consumables level indicator.

PAPER TOWEL DISPENSER METAL



PAPER TOWEL DISPENSERS White Metal





PAPER TOWEL DISPENSER Brushed Stainless REF 8 99 797

CHARACTERISTICS

- Capacity: 400-700 paper towels
- Max paper dimensions (mm): Width: 245
- Depth: 120
- Consumables level indicator at the front3 mounting points
- 2 finishes: White Epoxy or Brushed Stainless Steel
- Dim. (mm): 240 (W) x 400 (H) x 123 (D)



METAL

MIXED TP DISPENSER

MIXED TP DISPENSER White Metal





Brushed Stainless REF 8 99 622

CHARACTERISTICS

- Locks securely with a key
- Capacity: 1 roll or 2 packets of folded
 paper
- 3 mounting points
- 2 finishes: White Epoxy or Brushed Stainless Steel
- Dim. (mm): 134 (W) x 137 (H) x 120 (D)

DISPENSERS MENSTRUAL PRODUCTS






MENSTRUAL PRODUCT DISPENSER REF 8 99 2292

- PRODUCT PLUSES
 3 dedicated compartments
- Sturdy (steel)
- Secure (locks with a key)
- Easy to refill menstrual products (hinged front door)

CHARACTERISTICS

- Material: Epoxy steel
- Colour: White
- 2 compartments for pads and 1 for tampons
- Dim. (mm): 375 (W) x 432 (H) x 138 (D)

JUMBO TOILET ROLL DISPENSERS METAL



SAPHIR AUTOMATIC



White cover REF 8 44 397

SAVINOX



SAVINOX GEL SOAP / HAND SANITISER DISPENSER 700 ml Shiny Stainless REF 8 44 254



SAVINOX GEL SOAP / HAND SANITISER DISPENSER 400 ml Shiny Stainless REF 8 44 253



SAVINOX GEL SOAP / HAND SANITISER DISPENSER 700 ml Brushed Stainless REF 8 44 304

ISISS



ISISS GEL SOAP / HAND SANITISER DISPENSER Black REF 8 44 1767



PRACTICAL Easy to refill

- Translucent level indicator
- · Flow: 1 ml per dose

Automatic hand detection

- Delivers 1 dose every 3 seconds
- Power supply: 4 LR6 (AA, 1.5V) batteries

PRODUCT PLUSES

Eco-friendly (flow limited to 1 ml

• Compatible with hand sanitiser CHARACTERISTICS

· Automatically shuts off when the cover

 Automatic hand detection Large capacity (1.1 L)

every 3 seconds)

• (not included)

is open

- · Locks with a key
- Meets HACCP requirements
- 1 vear warranty
- Subject to eco-recycling
- Dim. (mm): 140 (W) x 235 (H) x 107 (D)

PRODUCT PLUSES

Anti-vandalism

- Corrosion resistant 304 stainless steel
- Soap level indicator
- Compatible with hand sanitiser

CHARACTERISTICS

- Capacity: 450 or 700 ml
- 2 finishes: Shiny 304 Stainless Steel (ref. 8 44 254 / 8 44 253) or Brushed 304 Stainless Steel (ref. 8 44 304)
- · Reinforced mounting system
- · Cover locks with a key
- Translucent level indicator
- Meets HACCP requirements
- 1 year warranty
- 400 ml model dim. (mm): 90 (W) x 169 (H) x 115 (D)
- 700 ml model dim. (mm): 105 (W) x 182 (H) x 115 (D)

MADE IN FRANCE

PRODUCT PLUSES

- + 3 labels included (Soap, Shampoo & Lotion)
- + Locks with a key (included)
- + Compatible with hand sanitiser
- ECO-DESIGN
 - Ecological & economical: Reusable container

- · Key locking system for container
- Capacity: 300 ml
- Material: 100% recycled plastic
- Flow: 1 ml per pump
- Transparent containers
- Meets HACCP requirements • 1 year warranty
- Dim. (mm): 75 (W) x 202 (H) x 58 (D)

MADE IN FRANCE PRODUCT PLUSES • Long-lasting pump (silicone)





CRYSTAL



PUSH BUTTON

REF 8 44 102





REF 8 44 098

CRYSTAL DISPENSER 1 L PADDLE REF 8 44 103

CRYSTAL DISPENSER 450 ML













PRACTICAL User instructions printed

CLEANSEAT REFILL (1 L bottle)



HYGIENIC

Suitable for agrifood

settings

on the product



 Personalisable name • Locks with a key (included) **CHARACTERISTICS** · Compatible with gel soap or hand sanitiser Capacity: 800 ml Material: ABS • Flow: 1 ml per pump · Locks with a key • Meets HACCP requirements • 1 year warranty • Dim. (mm): 105 (W) x 207 (H) x 87 (D) MADE IN FRANCE PRODUCT PLUSES • Long-lasting pump (silicone) • 2 capacities: 450 ml or 1 L Push button or paddle • Secure: Locks with a key CHARACTERISTICS

- Compatible with gel soap or hand sanitiser
- Material: ABS
- Flow: 1 ml per pump
- Meets HACCP requirements
- 1 year warranty
- 450 ml model dim. (mm):
- 110 (W) x 155 (H) x 99 (D) 1 L model dim. (mm): 110 (W) x 245 (H) x 99 (D)

MADE IN FRANCE PRODUCT PLUSES • Long-lasting pump (silicone) Used under category TP2 • Compliant with European standard EN 13697

- Capacity: 450 ml (approx. 450 doses)
- Material: ABS
- Flow: 1 ml per pump
- Meets HACCP requirements
- 1 year warranty
- Dim. (mm): 110 (W) x 155 (H) x 99 (D)

DISPENSERS SPOOL



STANDING SPOOL FRAME REF 8 99 1169



WALL-MOUNTED SPOOL FRAME REF 8 99 1238

PRODUCT PLUSES

Easy to tear paper: Plastic saw built into the cover and held in place by pressure from 2 side springs

CHARACTERISTICS

- Tubular metal frame (Ø 20 mm): White Epoxy finish
- ABS cover
- Capacity: 1 spool of industrial paper
- Standing model dim. (mm): 530 (W) x 910 (H) x 405 (D)
- Wall-mounted model dim. (mm): 360 (W) x 345 (H) x 405 (D)

SOAP FOAMING





PRODUCT PLUSES

Ecological

• Economical

Gentle on the hands

CHARACTERISTICS

Made in the European Union: RS 37106/Z

• pH: 6.0-6.5

- Biodegradable and Ecolabel
- Compliant with standards 73/404/ EEC and 73/405/EEC

AMARILLYS AIR FRESHENER **OPRODUCT PLUSES** ECONOMICAL (day/night) modes, adjustable frequency) On/off indicator lights CHARACTERISTICS • 3 modes: - Day (operates in the light) - Night (operates in the dark) - 24/7 Programmable frequency of sprays: 7¹/₂, 15 or 30 min • Power supply: 2 LR14 (C, 1.5V) batteries (not included) Battery life: 30,000 sprays On/off indicator light æ Spray indicator light **ECONOMICAL** • 2 year warranty With its day/night modes • Dim. (mm): 95 (W) x 230 (H) x 95 (D) AMARILLYS Air freshener REF 8 33 522 AMARILLYS REFILL MADE IN FRANCE PRODUCT PLUSES • Fragrances designed and manufactured in France Neutralising Floral Spray Purifying Essential Oil Deodorant Peach Spray • IFRA compliant Spray REF 8 88 1232 REF 8 88 1236 REF 8 88 1464 CHARACTERISTICS • Net volume: 250 ml for 3,000 sprays • Dim. (mm): 65 (Ø) x 130 (H) Fresh Wind Spray Deodorant Berry Spray Deodorant Citrus Spray REF 8 88 1465 REF 8 88 1235 REF 8 88 1237 **ELIMINODOR** MADE IN FRANCE + PRODUCT PLUSES ECO-DESIGN ELIMINODOR - No motor, no gas, no Odour inhibitor REF 8 33 053 - Uses no energy CHARACTERISTICS 0 ELIMINODOR REFILL Lemon • Material: Polypropylene REF 8 88 057 • Dim. (mm): 100 (W) x 155 (H) x 50 (D) SIMPLE AND EFFECTIVE 0 ELIMINODOR REFILL Eliminodor works only via the flow Chlorophyll of air caused by moving the door to REF 8 88 058 which it is attached

SINGLE HOOK

NEW



SINGLE HOOK Matte Black REF 8 99 2242



SINGLE HOOK Chrome REF 8 99 1438



DOUBLE HOOK Chrome REF 8 99 1439



SINGLE HOOK Matte Black

NEW



















CHARACTERISTICS

MADE IN FRANCE

- Material: Steel
- Dim. (mm): 25 (Ø) x 20 (D)

CHARACTERISTICS

Single hook:

- Material: 304 stainless steel
- Dim. (mm): 56 (Ø) x 64 (D)
- Double hook:
- Material: Brass
- Dim. (mm): 87 (Ø) x 55 (D)





CHARACTERISTICS

- 304 stainless steel
- Matte Black finish
- Dim. (mm): 50 (W x 50 (H) x 80 (D)

HOOK Argo Matte Black REF 8 99 1780



DOUBLE HOOK Argo Matte Black REF 8 99 1781



TOILET BRUSHES



WALL-MOUNTED TOILET BRUSH HOLDER Brushed Chrome Stainless **REF 8 99 1063**

Shiny Chrome Stainless REF 8 99 1135



FLOOR TOILET BRUSH HOLDER Brushed Chrome Stainless

REF 8 99 796



WALL-MOUNTED TOILET BRUSH HOLDER Argo Matte Black Stainless **REF 8 99 1783**



WALL-MOUNTED TOILET BRUSH HOLDER Matte Black



PRODUCT PLUSES

304L stainless steel

CHARACTERISTICS

- 8 99 1063:
- Dim. (mm): 92 (Ø) x 390 (H) x 122 (D)
- 8 99 1135:
- Dim. (mm): 104 (Ø) x 386 (H)
- 8 99 796:
- Dim. (mm): 104 (Ø) x 393 (H)

- 304 stainless steel
- Matte Black finish
- 8 99 1783:
- Dim. (mm): 160 (W) x 365 (H) x 125 (D)
- 8 99 1136
- Dim. (mm): 92 (W) x 393 (H) x 115 (D)



OUR INSECT CATCHERS

PAGES 48-55

CHOOSE THE INSECT CATCHER THAT WILL HIT YOUR TARGET

Explore our wide range of HACCP-compatible insect catchers. Our bug killers can be installed anywhere, on a flat surface, hanging from the ceiling or attached to the wall.

KEEP YOUR SPACE CLEAN

Insect catchers are designed to attract and kill all kinds of flying insects, including flies, mosquitoes, midges, wasps, hornets, horseflies and more. Our insect catchers are illuminated electrical devices that attract flying insects with ultraviolet A rays (harmless to people) and then either electrocute them, trap them with glue or aspirate them.

FIND THE PERFECT SPOT FOR YOUR INSECT CATCHER

For optimal operation, your insect catcher should be placed in a warm, dark place, sheltered from draughts and up in the air (whether mounted or hanging).

CONSIDER THE SPECIAL STANDARDS APPLICABLE TO HUMID SPACES

IP54 devices are protected against splashing water and are especially well-suited to **very wet**, **humid environments**.

PREVENT THE RISK OF BREAKAGE WITH FRAGMENT RETENTION TUBES

Unlike standard tube light bulbs, fragment retention tubes are covered with **a protective film** which prevents broken glass in the case of a blow. Fragment retention tubes are recommended for the agrifood industry in particular.

ELECTROCUTION, GLUE OR ASPIRATION? CHOOSE THE MODEL THAT MEETS YOUR NEEDS

Bug zappers are non-polluting (no chemicals and no odours). They are safe (the high-voltage grids are always protected). Their collection trays need to be emptied.

Glue traps are non-polluting (no chemicals and no odours). They are safe. They do not cause any crackling or throw off any insect parts. Their glue strips need to be replaced on a regular basis. Glue traps are recommended for spaces with specific hygiene constraints, like kitchens and restaurants. Aspiration fans are perfectly hygienic and a great choice for spaces with substantial hygiene constraints.

MAKE THE MOVE TO LED BULBS

Lighting regulations are changing, in favour of more sustainable, planet-friendly options. As a result, all fluorescent bulbs designed for everyday lighting purposes have been phased out and banned from sale in the European Union since September 2023. In anticipation of the ban on UV lights (slated for 2027), we are switching all our insect killers to LED bulbs now.

LEDs consume 50% less electricity and function for 50,000 hours (twice as long as fluorescent tubes).

CHOOSING THE RIGHT **INSECT CATCHER**

									$\stackrel{\wedge}{\blacksquare}$
	INDUSTRIE PRO IP54	INDUSTRIE	LED	STANDARD	GLUE	DECO	COMPACT	DESINSECTIVOR	COMMERCE
		8 55 837 8 55 838		8 55 625		8 55 1291 (White) 8 55 1392	8 55 1326 (White) 8 55 1327	8 55 2232	
REFERENCE	8 55 1174	8 55 839 (Glue trap)	8 55 1598	8 55 627 8 55 629	8 55 524	(Black) 8 55 1393 (Red)	(Black) 8 55 1328 (Red)	8 55 2232 (Bulb)	8 55 078
		30 W		19 W					
POWER	80 W	40 W	13 W	24 W	19 W	20 W	20 W	7.5 W	30 W
		80 W		48 W					
IDEAL FOR	Agrifood, chemicals and farming industries	Retail shops, kitchens, childcare centres, schools, retirement homes (40 W), and agrifood, chemicals and farming industries	Retail shops, kitchens, childcare centres, schools and retirement homes	Retail shops, kitchens, childcare centres, schools and retirement homes	Retail shops, kitchens, childcare centres, schools and retirement homes	Food shops, bars, cafés, restaurants and hotels	Food shops, bars, cafés, restaurants and hotels	Food shops, bars, cafés, restaurants and hotels	Retail shops, kitchens, childcare centres, schools and retirement homes
AREA COVERED	200 m ²	120 m² 200 m²	80 m²	80 m ² 120 m ² 200 m ²	80 m²	30 m²	50 m²	60 m²	80 m²
METHOD USED	Electrocuting grid	Electrocuting grid / glue board	Electrocuting grid	Electrocuting grid	Glue board	Glue board	Electrocuting grid	Aspiration	Electrocuting grid
ECO-DESIGN									
RESISTANT TO SPLASHING WATER	\checkmark		\checkmark						
DUST RESISTANT	\checkmark								
HIGH CORROSION AND OXIDATION RESISTANCE	\checkmark	\checkmark	\checkmark						
DIMENSIONS & WEIGHTS	630 (W) x 300 (H) x 155 (D) mm 10 kg	617 (W) x 280 (H) x 110 (D) mm 6.46 kg (8 55 837) 7 kg (8 55 838) 5.7 kg (8 55 839)	470 (W) x 255 (H) x 100 (D) mm 4.51 kg	80 m ² 515 (W) x 325 (H) x 70 (D) mm 4.51 kg 120 & 200 m ² 660 (W) x 365 (H) x 70 (D) mm 5.70 kg	465 (W) x 285 (H) x 95 (D) mm 4.05 kg	165 (W) x 265 (H) x 113 (D) mm 0.93 kg	160 (W) x 270 (H) x 130 (D) mm 1.78 kg	200 (W) x 430 (H) x 200 (D) mm 0.90 kg	350 (W) x 230 (H) x 150 (D) mm 4.42 kg
MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE				MADE IN FRANCE	MADE IN FRANCE		
MATERIALS	304L stainless steel	304L stainless steel	ABS	Stainless steel	Steel	Steel	Steel	PC-ABS	ABS
INSTALLATION	Hang, place on a flat surface or mount on a wall	Hang from the ceiling or mount on a wall	Hang, place on a flat surface or mount on a wall	Hang from ceiling	Place on a surface or mount on a wall	Hang, place on a flat surface or mount on a wall	Hang, place on a flat surface or mount on a wall	Place on a flat surface	Hang, place on a flat surface or mount on a wall
CERTIFICATIONS	CE - IP54 Class I HACCP	CE - IP20 Class I HACCP	CE - IP24 Class II HACCP	CE - IP20 Class I HACCP	CE - IP20 Class I HACCP	CE - IP20 Class I HACCP	CE - IP20 Class I HACCP	CE - IP20 Class II HACCP	CE - IP20 Class I HACCP

INDUSTRIE PRO IP54


APPROXIMATE PROTECTED AREA • 200 m²



INDUSTRIE PRO 80 W BUG ZAPPER IP54 + fragment retention **REF 8 55 1174**



40 W FRAGMENT RETENTION TUBE **REF 2 20 0340**



- Power supply: 230 V 50 Hz
- Grid voltage and intensity: 3700 V 9 mA
- Rated power: 60-100 W max
- Material: 304L stainless steel
- Class I
- IP54
- 2 tubes included per device
- 2 year warranty
- Dim. (mm): 630 (W) x 300 (H) x 155 (D)

INDUSTRIE

APPROXIMATE PROTECTED AREA • 120 or 200 m²





GLUE STRIPS (pack of 6) 175 x 610 mm REF 8 88 840

	BUG	ZAPPER	SPARE BULB			
	STANDARD	FRAGMENT RET.	STANDARD	FRAGMENT RET.		
• 40 W	REF 8 55 837	REF 8 55 837 TAE	REF 2 20 0338 20 W TUBE	REF 2 20 0089 20 W TUBE		
• 80 W	REF 8 55 838	REF 8 55 838 TAE	REF 2 20 0339 40 W TUBE	REF 2 20 0340 40 W TUBE		
• 80 W (GLUE)	REF 8 55 839	REF 8 55 839 TAE	REF 2 20 0339 40 W TUBE	REF 2 20 0340 40 W TUBE		



PRACTICAL

Opening system makes it easy to clean

- Hang, place on a flat surface or mount on a wall
- Automatically shuts off when the grid is open

- Power supply: 230 V 50 Hz
- Grid voltage and intensity: 3700 V / 9 mA
- Rated power: 30, 40 or 80 W
- Material: 304L stainless steel
- Class I
- IP20
- 2 tubes included per device
- 2 year warranty
- Dim. (mm): 617 (W) x 280 (H) x 110 (D)

LED

APPROXIMATE PROTECTED AREA * 80 $m^{\rm 2}$




STANDARD

APPROXIMATE PROTECTED AREA • 80-200 m²



	STANDARD BUG ZAPPER	SPARE LED BULB
80 m ²	REF 8 55 625	REF 2 20 3234
120 m ²	REF 8 55 627	REF 2 20 3235
200 m ²	REF 8 55 629	REF 2 20 3233

BULLE TRAP CONSTRUCTION CONSTRUCTION



DECO

APPROXIMATE PROTECTED AREA • 30 m²





DECO Black **REF 8 55 1292**

SCREW TUBE BULB E14





REF 8 55 1291

GLUE STRIPS (pack of 6) **REF 8 88 1294**



PRODUCT PLUSES

Model for small spaces

Cost-effective

- Power supply: 220-240 V 50 Hz
- Power cord with plug (1.4 m)
- Meets HACCP requirements
- Material: Glossy steel
- Class I
- IP20
- 1 bulb included (20 W) 2 year warranty
- Dim. (mm): 165 (W) x 265 (H) x 113 (D)

COMPACT

APPROXIMATE PROTECTED AREA • 50 m²



COMPACT 20 W Black REF 8 55 1327

SCREW TUBE BULB E14





COMPACT 20 W White

REF 8 55 1326

SCREW TUBE BULB



MADE IN FRANCE			
	DDUCT PLUSES		
Model for:	small spaces		
Decorative	design		

- Power supply: 230 V 50 Hz
- Grid voltage and intensity: 3000 V 5 mA
- Power: 25 W
- Power cord with plug (1 m)
- Material: Glossy steel
- Class I
- IP20
- 1 bulb included (20 W)
- 2 year warranty
- Dim. (mm): 160 (W) x 270 (H) x 130 (D)

HELIO

APPROXIMATE PROTECTED AREA • 60 m²



COMMERCE

APPROXIMATE PROTECTED AREA • 80 m²



30 W PROFESSIONAL BUG ZAPPER REF 8 55 078 15 W TUBE (for ref. 8 55 078) **REF 5 20 0337**

+ PRODUCT PLUSES

- **+** ECO-FRIENDLY No chemicals or consumables
- - No insect parts thrown off Easy to empty trap
- **ECO-DESIGN**
 - Low energy consumption
 - sensor

CHARACTERISTICS

- Approximate protected area: 60 m²
- Power supply: 220-240 V 50-60 Hz
- Rated power: 7.5 W
- On/off button
- Material: PC-ABS
- Finish: White
- Bulb type: UV-A
- (included)
- Insect collection tray
- Dim. (mm): 200 (W) x 430 (H) x 200 (D)

PRODUCT PLUSES

+ Cost-effective

- Power supply: 230 V 50 Hz
- Plastic cover
- Class I
- IP20
- 2 tubes included (15 W)
- 2 year warranty
- Dim. (mm): 350 (W) x 230 (H) x 150 (D)



OUR WASTE SORTING SOLUTIONS

PAGES 56-75

ONE TWO TRI : THREE POINTS TO CONSIDER WHEN CHOOSING YOUR BINS

Between bins for offices, washrooms, kitchens and recycling, JVD has a wide range suited to all your different spaces.





POINT NO. 1: ALIGNING YOUR ORGANISATION WITH YOUR LEGAL OBLIGATIONS

European regulations and the French Energy Transition Law are increasing companies' obligations in respect of waste treatment. All French companies with more than 20 office workers are now required to sort and recycle their office paper. Companies, shops and administrations which entrust their waste to a private company or which generate more than 1,100 litres of waste per week and which use a public waste collection service must also organise their flows of paper, metal, plastic, glass and wood, meaning they must have bins for each category of waste.

POINT NO. 2: ENCOURAGING WASTE SORTING AS A FORM OF CLIMATE ACTION

If waste is not sorted, it cannot be recycled. The recycling process transforms waste into secondary raw materials and gives them a new lease of life. Thanks to appropriate sorting solutions (based on signage, form and size), your employees can be included in an eco-responsible movement that is beneficial to your company. JVD also offers solutions that can help you take your eco-responsible strategy a step further. By using these bins made of recycled cardboard or plastic, you can further reduce the impact of your waste on the climate.

POINT NO. 3: INSTALLING THE RIGHT SOLUTIONS IN THE RIGHT PLACES

To simplify the sorting process and encourage your employees to take part in this eco-responsible approach, your choice of sorting bin locations is essential.

Bins for paper and other waste should be placed near office space, while larger sorting solutions can be set up in break areas. Lastly, you can create a clearly indicated, dedicated recycling area close to where employees congregate, where you can house all your sorting containers. Be sure to select appropriate receptacles. JVD offers a wide array of solutions designed for any setting, all of which are visible, easy to understand, easy to empty and suited to the quantity of waste produced.



BINS CARDBOARD



SET OF 3 CARDBOARD BINS (75 L) **REF 8 99 2105**



SET OF 10 CARDBOARD OFFICE BINS REF 8 99 2106



+ PRODUCT PLUSES

+ PRACTICAL

Visibility of remaining space

+ HYGIENIC

Minimal floor contact

 Delivered flat to reduce the impact of transport

+ Easy attachment of bin bags

GECO-DESIGN

- 100% FSC or recycled cardboard

- 8 99 2105: Sold in packs of 3
- 8 99 2106: Sold in packs of 10
- 8 99 2106 measurements:
 6 L capacity
 226 (W) x 223 (H) x 145 (D) mm
- 8 99 2105 measurements: 75 L capacity
- 75 L capacity 355 (W) x 815 (H) x 375 (D) mm

SORTING BINS

BINS WITH 2 COMPARTMENTS



ROUND RECYCLING BIN REF 8 99 1229



RECTANGULAR BIN WITH 2 COMPARTMENTS REF 8 99 1261





OVAL SORTING BIN WITH 2 CONTAINERS REF 8 99 1265

DESIGNED IN FRANCE PRODUCT PLUSES 10 L capacity Rubber protection at base Water and rust resistant inner containers WASTE SORTING CHARACTERISTICS Materials: Epoxy steel & polypropylene Capacity: 10 L Outer colour: Black 2 compartments of 5 L each

- Dimensions (mm): • Round model: 225 (Ø) x
- 270 (H)
- Rectangular model: 270 (W) x 290 (H) x 210 (D)

BINS



BLACK BIN 3 colour coded compartments REF 8 99 1086



BLACK BIN 3 black compartments





BRUSHED STAINLESS BIN 3 black compartments REF 8 99 1031

+ PRODUCT PLUSES

 Lid to conceal the bags and hold them in place
 WASTE SORTING

CHARACTERISTICS

- Materials: Epoxy steel & polypropylene
- Capacity: 10 L
- Outer colour: Black
- 2 compartments of 5 L each
- Dim. (mm): 275 (W) x 340 (H) x 200 (D)



OVAL BIN WITH 2 COMPARTMENTS REF 8 99 1975



- Unique design for sorting small waste
- + 6 stickers included
- Easy to empty thanks to built-in handles
- **G** WASTE SORTING

CHARACTERISTICS

- Rubber protection at the base to prevent scratching the floor
- Capacity: 13 L
- Outer colour: Black or Brushed Stainless
- Removable compartments (black or colour coded)
- Dim. (mm): 245 (Ø) x 300 (H)

+ PRODUCT PLUSES

+ Streamlined design

+ 2 waste compartments

+ Easy to empty

WASTE SORTING

- Epoxy steel outer container
- Polypropylene inner compartments
- Outer colour: Black
- Capacity: 13 L
- Dim. (mm): 245 (W) x 300 (H) x 245
- (D)

BINS FOR OFFICES





LID FOR WASTE SORTING BIN WITH 3 COMPARTMENTS REF 8 99 2301



WASTE SORTING BIN WITH 3 COMPARTMENTS REF 8 99 2300

WASTE BINS

DOUBLE WALL



10 L WASTE BIN Satin Stainless with double wall **REF 8 99 1007**



10 L WASTE BIN Black with double wall **REF 8 99 546**

SINGLE WALL



10 L WASTE BIN Black Leather with single wall **REF 8 99 1087**



3 colour coded compartments
Optional lid
WASTE SORTING

CHARACTERISTICS

- Materials: Epoxy steel and polypropylene
- Capacity: 12 L
- Outer colour: Black
- 3 compartments: 6 L and 2 x 3 L
- Dim. (mm): 244 (Ø) x 315 (H)

CHARACTERISTICS

- Rubber protection at the base to prevent scratching the floor
- Colour: Mirror Stainless Steel
- Dim. (mm): 200 (Ø) x 297 (H)

Waste bin:

- Double wall system to conceal the bag and hold it in place
- Colour: Black, Satin Stainless or Leather
- Dim. (mm): 225 (Ø) x 270 (H)



FEMININE HYGIENE STAINLESS STEEL





• Quietly closing hatch

Opens with a foot pedal

+ PRODUCT PLUSES

+ 304 stainless steel

+ Metal lock

+ Sealed waste deposit area

🔂 WASTE SORTING

- Capacity: 45 L (50 L bag)
- Material: 304 stainless steel
- Dim. (mm): 193 (W) x 400 (H) x 405 (D)





BIN Stainless Steel REF 8 99 2114

PRODUCT PLUSES

PRACTICAL Built-in bag holder

 Vandalism protection: 304 stainless steel

Wall mounting

Easy to clean

Premium design

100% antibacterial

CHARACTERISTICS

- Material: 304 stainless steel
- Capacity: 60 L
- Dim. (mm): 355 (W) x 665 (H) x 245 (D)

WALL-MOUNTED BINS HALF-MOON



HALF-MOON WALL-MOUNTED BIN White (20 L) REF 8 99 1416 White (40 L) REF 8 99 1417



HALF-MOON WALL-MOUNTED BIN Black (20 L) REF 8 99 1418 Black (40 L) REF 8 99 1419

PRODUCT PLUSES

- Easy to mount
- Easy to empty
- Non-cutting edge
- Wall mount included

- Material: Painted epoxy steel
- Choice of 2 colours: Black or White
- 20 L model dim. (mm):
- 350 (W) x 495 (H) x 190 (D)
- 40 L model dim. (mm): 400 (W) x 660 (H) x 210 (D)

BIN RECTANGULAR



BINS ROUND




3 L PEDAL BIN Matte Black REF 8 99 1785




3 L PEDAL BIN Mirror Stainless **REF 8 99 435**



3 L PEDAL BIN White REF 8 99 432



- Material: Plastic
- Scratch resistant and easy to clean
- Outer colour: Grey
- Dim. (mm): 235 (W) x 260 (H) x 62 (D)



SWING TOP



50 L WHITE SWING TOP BIN REF 8 99 1085

25 L WHITE SWING TOP BIN REF 8 99 1084

10 L WHITE SWING TOP BIN REF 8 99 1083



- Material: Polypropylene
- Capacity: 10, 25 or 50 L

• Colour: White

- 10 L model dim. (mm): 246 (W) x 373 (H) x 198 (D)
- 25 L model dim. (mm): 346 (W) x 511 (H) x 278 (D)
- 50 L model dim. (mm): 406 (W) x 668 (H) x 340 (D)

LADYBOX





HYGIENIC Pedal operated opening avoids all direct contact

+ PRODUCT PLUSES

+ Robust

+ Narrow shape suited to space in a washroom

+ Hygienic opening

+ Sealed waste deposit area

+ Easy to clean

G WASTE SORTING

- Capacity: 20 L (50 L bag)
- Material: Polypropylene (for intensive usage)
- Colours: Grey (lid) / White (waste container)
- Retaining ring for the bag inside the container
- 10 L model dim. (mm): 480 (W) x 415 (H) x 175 (D)



SORTING BINS METAL



+ PRODUCT PLUSES

- + Robust (epoxy steel casing)
- + Available in several colours to encourage waste sorting
- + Built-in bag holder
- + Easily create waste sorting islands
- **G** WASTE SORTING

- Material: Epoxy steel
- Capacity: 40 or 60 L
- 40 L model dim. (mm): 300 (W) x 700 (H) x 200 (D)
- 60 L model dim. (mm): 350 (W) x 750 (H) x 230 (D)

SORTING BINS FRONT OPENING





SORTING BIN WITH FRONT OPENING Blue REF 8 99 2299-BLU



SORTING BIN WITH FRONT OPENING Yellow REF 8 99 2299-YEL

SORTING BIN WITH FRONT OPENING Grey

REF 8 99 2299-GRY

SORTING BIN WITH FRONT OPENING White

REF 8 99 2299-WHT

SORTING BIN WITH FRONT OPENING Blue

REF 8 99 2299-BLU

SORTING BIN WITH FRONT OPENING Yellow

REF 8 99 2299-YEL

SORTING BIN WITH FRONT OPENING Red

REF 8 99 2299-RED

SORTING BIN WITH FRONT OPENING Green

REF 8 99 2299-GRN



- + Large front openings for easy bag removal
- + Robust (epoxy steel)
- + Built-in bag holder
- + Ideal for creating waste sorting islands

G WASTE SORTING

- Material: Epoxy steel
- Dim. (mm): 400 (W) x 785 (H) x 450 (D)

WASTE SORTING BINS



Bottles / Cups / Cans

Opening: Ø 12 cm

SORTING LID

Green

REF 8 99 1100

Other waste

SORTING LID

Grey

REF 8 99 1099

60 L SORTING BIN

Without lid

REF 8 99 1097

Ð PRACTICAL PLASTIC DOLLY for 60 & 80 L sorting bins REF 8 99 1105

> Bottles / Cups / Cans Opening: Ø 12 cm



SORTING LID Blue REF 8 99 1101

Other waste



SORTING LID Push

REF 8 99 1104

+ PRODUCT PLUSES



+SECURE Locking system for 60 & 80 L sorting bins

€ 50 % recycled plastic

HULTIPLE COMBINATIONS

The lids are suited to waste types

The containers come in

lacksquare \rightarrow Contact us for more info

WASTE SORTING

CHARACTERISTICS

- Material: Polypropylene, including more than 50% recycled plastic
- Capacity: 60 or 80 L • Dollies and lid locking systems
- available for this range of sorting bins
- 60 L model dim. (mm): 320 (W) x 580 (H) x 460 (D)
- 80 L model dim. (mm): 320 (W) x 762 (H) x 460 (D)
- Dolly dim. (mm): 480 (W) x 15 (H) x 355 (D)





SORTING LID

Blue Paper

REF 8 99 1103



Bottles / Cups / Cans Opening: 10.5 x 10.5 cm

SORTING STATION BLACK WITH 3 COMPARTMENTS





BLACK SORTING STATION WITH 3 COMPARTMENTS REF 8 99 2302

+ PRODUCT PLUSES

- + Front openings for easy bag removal
- + Robust (epoxy steel)
- + Built-in bag holder
- + Made in Europe
- **G** WASTE SORTING

- Material: Epoxy steel
- Dim. (mm): 1018 (W) x 1094 (H) x 326 (D)
- Bin bag holders: 3 x 40 L

🕂 Co

OPEN DOME BINS



PUSH BINS







40 L PUSH BIN Black **REF 8 99 538**

+ PRODUCT	PLUS	SES
oloured tops to	help	identi

- what goes where 5 colours: Stainless Steel, Green, Blue, Red and Yellow
- Rubber protection at the base to prevent scratches
- WASTE SORTING

CHARACTERISTICS

- Materials: Brushed stainless steel (outer bin) and galvanised steel (inner container)
- Removable open dome lid
- Dim. (mm): Ø. 350 (Ø) x 785 (H)

PRODUCT PLUSES

PRACTICAL

Galvanised inner container with handle (included)

- Opens and automatically closes with a reinforced push door of polished stainless steel
- Rubber ring at the base to protect against scratching the floor and detergents

- Suitable for use indoors and in protected outdoor locations
- Inner container of galvanised metal fitted with a handle
- Capacity: 40 L
- Colour: Black or Mirror Stainless
- Dim. (mm): Ø. 345 (Ø) x 785 (H)

WASTE SORTING BINS



40 L SORTING BIN **Brushed Stainless** REF 8 99 1005



40 L SORTING BIN Black Epoxy REF 8 99 1080

+ PRODUCT PLUSES

- + Compact sorting solution (offices and bedrooms)
- + 3 removable compartments of galvanised steel
- + Easy to empty
- + Stickers included
- **G** WASTE SORTING

CHARACTERISTICS

- Material: Painted metal or stainless steel
- Capacity: 40 L
 2 compartments of 10 L each - 1 compartment of 20 L
- Colour: Black Epoxy or Brushed Stainless
- Dim. (mm): 335 (Ø) x 470 (H)

WASTE SORTING BINS



60 L SORTING BIN **Brushed Stainless** REF 8 99 1081



60 L SORTING BIN Black REF 8 99 1004



G WASTE SORTING

- Material: Painted metal or stainless steel
- Capacity: 60 L - 2 compartments of 15 L each
- 1 compartment of 30 L Colour: Black Epoxy or Brushed
- Stainless
- Dim. (mm): Ø. 355 (Ø) x 670 (H)

FOR KITCHENS

ROUND BAG HOLDERS ROLLING WITH PEDAL

ROLLING ROUND BAG HOLDER WITH PEDAL Stainless Steel

REF 8 99 2295-SSSTL

ROLLING ROUND BAG HOLDER WITH PEDAL White

REF 8 99 2295-WHT

ROLLING ROUND BAG HOLDER WITH PEDAL Grey REF 8 99 2295-GRY ROLLING ROUND BAG HOLDER WITH PEDAL Yellow REF 8 99 2295-YEL

ROLLING ROUND BAG HOLDER WITH PEDAL Blue

REF 8 99 2295-BLU

ROLLING ROUND BAG HOLDER WITH PEDAL Red REF 8 99 2295-RED

ROLLING ROUND BAG HOLDER WITH PEDAL Green

REF 8 99 2295-GRN

+ PRODUCT PLUSES

 Available in several colours to encourage waste sorting

+ Wide foot pedal that meets HACCP requirements

+ Bag held with elastic band

+ 2 hard plastic wheels

WASTE SORTING


CHARACTERISTICS

• Material: Epoxy steel or stainless steel

Capacity: 110 L

• Dim. (mm): 520 (W) x 990 (H) x 580 (D)

71



BIN BAG HOLDER Stainless (18/0)

REF 8 99 882

- Comes as a kit, ready to assemble
- Made of stainless steel (18/0) and
 rubbar
- rubberReinforced stability with 4 legs
- Assisted opening and closing
- Assisted opening and closing
- Bag held in place with a rubber band
- Finish: Chrome
- Ref. 8 99 882 dim. (mm): 550 (W) x 940 (H) x 425 (D)
- Ref. 8 99 1075 dim. (mm): 590 (W) x 1000 (H) x 430 (D)

METAL BINS **H PEDALS AND FRONT OPENINGS**





110 L ROLLING PEDAL BIN

Stainless Steel

REF 8 99 2293-SSSTL

70 L ROLLING PEDAL BIN

Stainless Steel REF 8 99 2294-SSSTL

110 L ROLLING PEDAL BIN

White Metal

REF 8 99 2293-WHT

70 L ROLLING PEDAL BIN

White Metal

REF 8 99 2294-WHT

110 L ROLLING PEDAL BIN Black Metal REF 8 99 2293-BLA



+ PRODUCT PLUSES

+ Comes pre-assembled

- + Available in several colours to encourage waste sorting
- Easy access with a lid that opens to more than 80°
- + Removable front for easy bag removal
- + Wide foot pedal that meets HACCP requirements
- + 2 rubber wheels for easy movement
- O WASTE SORTING

CHARACTERISTICS

- Material: 430 stainless steel or epoxy steel
- Capacity: 70 or 110 L
- 70 L model dim. (mm): 480 (W) x 755 (H) x 440 (D)
- 110 L model dim. (mm): 480 (W) x 965 (H) x 440 (D)

REF 8 99 2293-GRN

Green Metal

Red Metal REF 8 99 2293-RED

110 L ROLLING PEDAL BIN


Blue Metal

REF 8 99 2293-BLU

110 L ROLLING PEDAL BIN Yellow Metal

REF 8 99 2293-YEL

110 L ROLLING PEDAL BIN



BINS ORGANIC WASTE



BIN ORGANIC WASTE (10 L)



+ PRODUCT PLUSES

- + Comes pre-assembled
- Compatible with the HACCP protocol
- Made of polypropylene for intensive usage
- + Auto close lid
- + Pedal for easy opening
- **+** STICKER INCLUDED
 - Gloves and masks sticker



70% RECYCLED PLASTIC Antimicrobial, antibacterial treatment

CHARACTERISTICS

- 30 L model dim. (mm): 400 (W) x 435 (H) x 410 (D)
- 45 L model dim. (mm): 400 (W) x 600 (H) x 410 (D)
- 70 L model dim. (mm): 410 (W) x 675 (H) x 500 (D)
- 90 L model dim. (mm): 410 (W) x 820 (H) x 500 (D)

+ PRODUCT PLUSES



 Perfect for handling small quantities of organic waste

Handle holds the lid in place
WASTE SORTING

CHARACTERISTICS

- Material: Polypropylene
- Capacity: 10 L
- Dim. (mm): 235 (W) x 285 (H) x 265 (D)

BINS		
		600
		-
	30 L	45 L
White lid	REF 8 99 748	REF 8 99 739
Blue lid	REF 8 99 750	REF 8 99 740
Yellow lid	REF 8 99 751	REF 8 99 741
Green lid	REF 8 99 752	REF 8 99 742
Red lid	REF 8 99 778	REF 8 99 779



		70 L	90 L
White lid	0	REF 8 99 1092	REF 8 99 618
Blue lid	•	REF 8 99 1090	REF 8 99 743
Yellow lid		REF 8 99 1094	REF 8 99 744
Green lid	•	REF 8 99 1091	REF 8 99 745
Red lid	•	REF 8 99 1093	REF 8 99 777

+ PRODUCT PLUSES				
+ Comes pre-assembled				
MULTIPLE COMBINATIONS The lids come in				
The containers come in				
• • • • • • • • • • • • • • • • • • •				
Đ WASTE SORTING				
CHARACTERISTICS				
Compatible with the HACCP protocol				

- Made of polypropylene for intensive usage
- Auto close lid
- Stabilising loop on the 90 L size only
- 30 L model dim. (mm): 400 (W) x 435 (H) x 410 (D)
- 45 L model dim. (mm): 400 (W) x 600 (H) x 410 (D)
- 70 L model dim. (mm): 410 (W) x 675 (H) x 500 (D)
 90 L model dim. (mm): 410 (W) x 820 (H) x 500 (D)



ø

STANDING ASHTRAY **REF 8 99 503** I P. 80

OUR ASHTRAYS

PAGES 76-81

FIND JUST THE RIGHT ASHTRAYS FOR YOUR ENVIRONMENT

JVD's ashtrays are robust thanks to their thick walls, treated for outdoor use and UV resistant. They are practical and easy to empty as they are fitted with inner containers as well as an anti-vandalism lock. Each ashtray comes with a kit to install it on the wall or in the ground.

HELP KEEP YOUR TOWN CLEAN

In Paris and most other cities and towns in France, the fight for cleanliness has become a priority. As a result of French decree 2015-337, people who drop litter on public roads may receive a $\in 68$ ticket. Establishments which are open to the public are now motivated to provide solutions: ashtrays, bins and combinations of the two can help contribute to meeting this policy. Additionally, regulations on pavement cafés have become stricter. Because of this, many pavement café charters have been put in place or updated to compel owners to provide ashtrays to their customers.

TAKE UP LESS SPACE WITH A WALL-MOUNTED ASHTRAY

Wall-mounted ashtrays are attached to a wall. Made of painted steel or stainless steel, they are **very discreet** and work great anywhere thanks to their compact size.

OPT FOR ELEGANCE WITH A STANDING ASHTRAY

Standing ashtrays **are installed directly on the ground**, where they can be fixed (or not, if you want to be able to move them). Whether made of painted steel or stainless steel, their delicacy adds a touch of elegance to your smoking areas.

BOOST YOUR CONVENIENCE WITH AN ASHTRAY WITH A BIN

Ashtrays with bins can **save space while keeping your outdoor areas clean**. They allow your employees and visitors to throw out waste like cups and packaging.

ASHTRAY ON STAND





PRODUCT PLUSES



• Large capacity (10 L) Easy to empty

• Very resistant to bad weather (plastic) and sunny weather (UV treatment)

CHARACTERISTICS

- Plastic that is weather and impact resistant
- UV treated coating
- Grained texture to prevent scratching
- Removable 10 L inner compartment made of galvanised steel
- Rust resistant, stainless steel stubbing plate
- · Quick and easy installation with no tools required for assembly
- Possibility of fixing to the ground

Dimensions (mm): 350 (W) x 950 (H) x 350 (D)

O PRODUCT PLUSES

ASHTRAYS WALL-MOUNTED



WALL-MOUNTED ASHTRAY 3 L + integrated 14 L collector REF 8 99 1170



WALL-MOUNTED ASHTRAY 1.5 L REF 8 99 501



WALL-MOUNTED ASHTRAY 3 L REF 8 99 502



WALL-MOUNTED ASHTRAY Slim 3 L REF 8 99 1452



CHARACTERISTICS

- · Galvanised steel and epoxy exterior for better corrosion resistance
- UV treated coating
- Grained texture to prevent scratching
- Inner container of galvanised steel
- Stubbing area made of stainless steel
- Key locking system
- Mounting kit included

Capacities and dimensions:

- 8 99 1170:
- 3 L (900 butts) + 14 L collector
- 300 (W) x 670 (H) x 140 (D) mm
- 8 99 501:
- 1.5 L (150 butts with a 0.5 L container)
- 150 (W) x 255 (H) x 60 (D) mm
- 8 99 502:
- 3 L (900 butts with a 0.5 L container)
- 191 (W) x 355 (H) x 60 (D) mm
- 8 99 1452:
- 3 L (900 butts)
- 100 (W) x 500 (H) x 64 (D) mm
- 8 99 1451:
- 250 (W) x 990 (H) x 200 (D) mm

BASE AND STAND FOR WALL-MOUNTED ASHTRAY Slim 3 L





STANDING WALL-MOUNTED

WALL-MOUNTED TUBULAR ASHTRAY 1.8 L Charcoal Grey REF 8 99 884



WALL-MOUNTED TUBULAR ASHTRAY 1.8 L Stainless Steel REF 8 99 1839



3 L TUBULAR STANDING ASHTRAY REF 8 99 616



C ROBUST Galvanised inner container

PRODUCT PLUSES

- Designed for protected outdoor use
- Very attractive with a brushed or shiny finish
- Fast and easy to install
- Fire resistant



G PRACTICAL

Easy to empty

CHARACTERISTICS


- · Key locking system
- Wall mounting
- Mounting kit included

8 99 884:

- Charcoal Grey epoxy
- Ø. 110 (Ø) x 500 (H) mm
- 8 99 1839:
- Shiny Stainless
- Ø. 110 (Ø) x 500 (H) mm



STANDING ASHTRAY 12.5 L REF 8 99 503



STANDING RECTANGULAR

- Designed for outdoor use
- Protected against the rain
- Fast and easy to empty

Easy to clean, smooth surface

CHARACTERISTICS

- Inner container of galvanised steel
- · Stubbing area made of stainless steel (2 openings)
- · Galvanised steel and epoxy exterior for better corrosion resistance
- · UV treated coating
- Key locking system
- · Ground fixing kit (screws and bolts) included
- · Weighted base to ensure stability (7.4 kg)
- Capacity and dimensions:
- 2.5 L (3,750 butts)
- 400 (W) x 1040 (H) x 400 (D) mm

PRODUCT PLUSES

- Designed for outdoor use
- Fully galvanised, resistant to bad weather and UV rays
- Fast and easy to empty (container accessible from above)

CHARACTERISTICS

- Inner container of galvanised steel
- Stubbing area made of stainless steel (4 openings)
- · Galvanised steel and epoxy exterior for better corrosion resistance
- UV treated coating
- · Ground fixing kit (screws and
- bolts) included · Weighted base to ensure stability (6.5 kg)
- Capacity and dimensions:

STANDING TUBULAR STAINLESS



on stand (3 L) Stainless REF 8 99 1840

PRODUCT PLUSES

- Designed for outdoor use
- 4 points of access to stub out cigarette butts
- Possibility of fixing to the ground

CHARACTERISTICS

Colour and material:

- Shiny 304 Stainless Steel
- · Ground fixing kit (screws and bolts) included
- Dimensions:
- Ø. 300 (Ø) x 1080 (H) mm

• 3 L (900 butts) • Ø. 300 (Ø) x 1080 (H) mm

PRODUCT PLUSES

ASHTRAYS HBINS WI





3 LASHTRAY WITH 29 L BIN

REF 8 99 1062

4.7 LASHTRAY WITH 48 L BIN REF 8 99 1082



2 L ASHTRAY WITH 8 L BIN REF 8 99 615



- Protected against bad weather
- Fast and easy to empty

CHARACTERISTICS

- Material: Galvanised steel (rust and corrosion resistant)
- UV treated coating
- Inner container of galvanised steel
- Stubbing area made of stainless steel
- Possibility of fixing to the ground
- · Key locking system
- Ground fixing kit included Colour: Charcoal Grey

Capacities and dimensions: 8 99 1062:

- 3 L ashtray (900 butts) + 29 L bin
- 300 (W) x 990 (H) x 250 (D) mm
- 8 99 1082:
- 4.7 L ashtray (1,400 butts) + 48 L bin
- 480 (W) x 990 (H) x 250 (D) mm
- 8 99 615:
- 2 L ashtray (600 butts) + 8 L bin
- 400 (W) x 1040 (H) x 260 (D) mm

WASHROOM SET-UPS

In France, the set-up of company washrooms is governed by legislative texts that aim to protect employee health and safety. These texts define minimum standards that must be met in terms of the number of washrooms, their equipment, their maintenance and their accessibility.

Here are the legal references that are applicable to company washroom set-ups:

French Labour Code: Articles R4228-2 to R4228-13 define the employer's obligations in respect of washroom facilities.

Article R4228-7

Sinks must be supplied with drinking water.

The temperature of the water must be adjustable, and there must be at least one sink for every 10 employees. Appropriate washing and drying or wiping equipment must be available to workers. That equipment must be maintained and replaced whenever necessary.

- Article R4228-10
- There must be at least one toilet stall and one urinal for every 20 men and two stalls for every 20 women. [...] At least one stall must be fitted with a sink.

At establishments that employ both women and men, the toilet stalls must be separated by gender. Women's toilet stalls must contain a recipient for their menstrual products.

Article R4228-11

• Toilet stalls [...] must be set up so as not to emit any odours. They must be fitted with flushes and toilet paper.

Article R4228-12

• Toilet stalls must be ventilated in accordance with ventilation and sanitation rules [...] and sufficiently heated.

Article R4228-13

- The employer must have the stalls and urinals cleaned and disinfected at least once a day.
- It should be noted that these legal texts apply to all companies, regardless of size. However, the French Labour Inspectorate may grant special dispensations, depending on the nature of the company's activities or its technical constraints.
- Regulation (EC) No 852/2004 Chapter I(4)
- An adequate number of washbasins is to be available, suitably located and designated for cleaning hands. Washbasins for cleaning hands are to be provided with hot and cold running water, materials for cleaning hands and for hygienic drying.

WASTE SORTING & MANAGEMENT

In France, the treatment of company waste is governed by multiple legislative texts. The most relevant of these are reproduced below.

French Environmental Code Article L541-21-1

- Those who generate or hold significant quantities of waste primarily comprising biowaste are required to set up sorting for that biowaste at its source, as well as either:
- on-site biowaste recovery; or
- the separate collection of biowaste for the purpose of its recovery and, in particular, to encourage its high-quality use on the ground.
- As from 31 December 2023, this obligation will apply to all biowaste producers and holders, including local and regional governments providing public waste management services and private and public establishments that generate biowaste.

French Environmental Code Article L541-21-2-1

 All waste producers and holders must put in place separate rubbish and recycling facilities in their establishments, that are suited to the various activities performed in those establishments and, when relevant, those facilities must be accessible by staff in order for waste to be sorted at the source, including waste generated by the staff's consumption of everyday consumer goods.

French Environmental Code Article L541-21-2-2

- Operators of establishments that are open to the public, as defined by Article L123-1 of the French Building and Housing Code, must organise the collection of separated waste left by the public at their establishments and the waste generate by their own personnel. To that end, they must provide the public with separate receptacles for waste from household packaging – primarily comprising plastic, steel, aluminium, paper and cardboard – on the one hand, and biowaste on the other.
- Regulation (EC) No 852/2004 Chapter VI(2)
- Food waste, non-edible by-products and other refuse are to be deposited in closable containers, unless food business operators can demonstrate to the competent authority that other types of containers or evacuation systems used are appropriate. These containers are to be of an appropriate construction, kept in sound condition, be easy to clean and, where necessary, to disinfect.

FRENCH AGEC FOOD WASTE AND CIRCULAR ECONOMY LAW

Article 58 of the French law of 10 February 2020 against food waste and in favour of the circular economy (AGEC) has been implemented by public buyers since March 2021. This mechanism requires State buyers and local and regional governments to source reused versions of certain products or versions that contain recycled materials.

Beginning on 1 January 2022, if a product is repaired under its statutory compliance warranty during the first two years after its purchase, the customer's warranty will be extended by an additional six months, for a total warranty period of 30 months (two years plus six months).

НАССР

HACCP (Hazard Analysis Critical Control Point) is a systematic, preventive approach to guaranteeing food safety by identifying and controlling biological, chemical and physical hazards in production processes which could make the finished product unsafe for consumption. HACCP is based on seven core principles:

- 1. Conduct a hazard analysis
- 2. Determine the critical control points (CCPs)
- 3. Establish critical limits
- 4. Establish monitoring procedures
- 5. Establish corrective actions
- 6. Establish verification procedures
- 7. Establish record-keeping and documentation procedures.

HACCP is used in a variety of sectors in the food industry, including production, preparation, packaging and distribution, to manage food safety along the entire supply chain.

A product itself cannot be "HACCP compliant" as HACCP is a food health and safety management method, not a standard that is specific to a given product or category of products. However, a product can be deemed compliant with the food safety requirements defined by a HACCP system that has been implemented by a company.

AIR QUALITY

Air quality in the workplace is governed by multiple legislative and regulatory texts. The most relevant of these are outlined below.

 Article L221-7 of the French Environmental Code stipulates that the State will coordinate work to identify the factors that cause pollution and to evaluate exposure levels and health risks relating to air quality in enclosed environments. It introduces preventive and management measures designed to reduce the scope and the effects of that pollution.

2. Article **D221-38** of the French Environmental Code specifies that air quality monitoring in certain establishments that are open to the public must be performed according to the methods laid down in French Decree 2012-14 of 5 January 2012.

3. Article **L221-8** of the French Environmental Code indicates that indoor air quality monitoring is compulsory for the owner or operator of certain establishments that are open to the public, as determined by a French Council of State decree, where justified by the configuration of the premises or the type(s) of public visitors.

4. Article **R221-34** of the French Environmental Code stipulates that the owner, or if applicable the operator, of the establishment must retain last two assessments of ventilation mechanisms and analyses of pollutant measurements.

5. Article **L221-10** of the French Environmental Code mentions that building products, furnishings, wall and floor coverings, paint and varnish that emit substances into the ambient air must feature labels indicating their

volatile pollutants.

NF C15-100

The standard NF C15-100 includes specific instructions relating to electricity in bathrooms. Given that bathrooms are environments where water is present and where the risk of electrocution is higher, special precautions must be taken to ensure electrical safety.

INSECTS

Establishments that are open to the public have obligations in terms of insect control. Those obligations are defined in department health regulations and in Articles 125.1 and 130.5 of the French memorandum on the subject, dated 9 August 1978.


The owners or managers of these establishments must take every necessary measure to prevent insects from entering the property and have extermination actions taken as needed, whilst avoiding any contamination of foodstuffs.

As part of their health control plans, all restaurateurs must implement an effective system to prevent the intrusion of pests (rodents, flying and crawling insects, etc.) into their premises. That plan must include a pest eradication plan and a list of good hygiene practices to follow, such as insect control efforts.

ACCESSIBILITY

Different French decrees and laws define accessibility rules for people with reduced mobility, namely including the decree of 8 December 2014 and 20 April 2017.

- The arrangements required of establishments open to the public include the following:
- At least one wheelchair accessible toilet stall whith a sink on accessible floors of the building.
- Wheelchair accessible washrooms must be in the same location as the other toilet stalls, in cases where the non-accessible stalls are grouped together
- Soap and paper dispensers, hand dryers and sinks must be accessible by people with disabilities. At least one of each of these fixtures and devices must be compliant with current accessibility standards.





JVD FRANCE

3 rue des Brèches 44406 Rezé Cedex – France

France Sales Department Tel. + 33 (0)2 40 75 98 20 jvdfrance@jvd.fr

Export Sales Department Tel. + 33 (0)2 40 75 99 76/77 jvdexport@jvd.fr

Customer Service Tel. + 33 (0)2 40 75 96 30 sav@jvd.fr

JVD ASIA

56 Loyang Way #06-04 Loyang Enterprise Building Singapore 508775 Tel. +65 6214 8550 jvd.com.sg

JVD ESPAÑA

Calle Juan de Herrera 14, Elche Parque Industrial, 03203 Elche (Alicante), Spain Tel. +34 965 677 777 jvd.es

JVD AMERICAS

Carr. Querétaro San Luis Potosí 97 Blvd. Bernardo Quintana, Santiago de Queretaro. Queretaro, 76140, MEXICO. Tel. + 52(442) 161 2595 jvd.mx



Because we respect the environment, JVD prints this catalogue using plant-based inks on eco-friendly paper from sustainably managed forests. JVD invites our partners and clients to send us your email address so we can transmit this information to you directly in electronic form.

Non-binding document. JVD reserves the right to modify our products' characteristics without notice. French business registration no.: RCS 330 927 476. Photos: Garnier Studios, Cédric Chassé and Getty Images. Al generated image, prompt created by the Nouvelle Vague Al Lab. Translation by LC Lingua (www.lclingua.fr)