

# noyen

By JVD

---



## FILTER MANUAL



# INSTRUCTIONS FOR THE ACTIVATED CARBON FILTER OF THE NOVVEN 3 AND NOVVEN 3S RANGE CABINETS

The activated carbon filter is an essential consumable for the proper functioning of your cabinet. It must be handled with care.

Find the complete explanatory **video** on filter replacement in your Resource Centre.



## INSTRUCTIONS

### Step 1: Open the hatch

- Locate the hatch on the top of the cabinet (in the upper part of the colored strip).
- Lift the bonnet and hold it open with one hand.

### Step 2: Remove the old filter

- Grasp the white ring designed to facilitate extraction.
- Slide the filter horizontally to remove it from its position.

### Step 3: Install the new filter

- Insert the filter into its slot.
- Check its direction: a labeled arrow indicates the insertion direction.

### Step 4: Close the hatch

- Carefully fold the bonnet down over the top of the wardrobe.

## **OPERATING TIME**

The lifespan of your activated carbon filter depends on the number of hours of use. To find out the lifespan of your filter, go to the Maintenance menu in your cabinet.

## **END OF LIFE**

Use gloves when putting your old filter in the bin. It is considered final waste.

## SAV

Our teams are available to answer any questions you may have.

### France

02 40 75 96 30

sav@jvd.fr

### Export

+33 02 44 76 51 57

customer care@jvd.fr

## RESOURCE CENTER

At JVD, we want your wardrobe to seamlessly integrate into your daily life. To support you, we've developed a digital Resource Center, accessible at any time, to answer your questions and guide you in the everyday use of your equipment. This center is designed to make your life easier: feel free to take full advantage of it.



# noyen

By JVD

---



NOTICE FILTRE



# NOTICE POUR LE FILTRE À CHARBON ACTIF DES ARMOIRES NOVVEN 3 ET NOVVEN 3S

Le filtre à charbon actif est un consommable indispensable au bon fonctionnement de votre armoire. Il doit être manipulé avec précaution.

Retrouvez la **vidéo** explicative complète sur le remplacement du filtre dans votre Centre de ressources.



## INSTRUCTIONS

### Étape 1 : Ouvrir la trappe

- Localisez la trappe située sur le dessus de l'armoire (en partie haute de la bande de couleur).
- Soulevez la coiffe et maintenez-la ouverte d'une main.

### Étape 2 : Retirer l'ancien filtre

- Saisissez la bague blanche prévue pour faciliter l'extraction.
- Faites glisser le filtre à l'horizontale pour le retirer de son emplacement.

### Étape 3 : Installer le nouveau filtre

- Insérez le filtre dans son emplacement.
- Vérifiez son sens : une flèche étiquetée vous indique le sens d'insertion.

### Étape 4 : Refermer la trappe

- Rabattez soigneusement la coiffe au-dessus de l'armoire.

## **DURÉE DE FONCTIONNEMENT**

La durée de vie de votre filtre à charbon actif dépend du nombre d'heure d'utilisation. Pour connaître la durée de vie de votre filtre, rendez-vous dans le menu Maintenance de votre armoire.

## **FIN DE VIE**

Utilisez des gants pour mettre votre ancien filtre à la poubelle. Il est considéré comme un déchet ultime.

## SAV

Nos équipes sont à votre écoute pour toutes questions.

### France

02 40 75 96 30

sav@jvd.fr

### Export

+33 02 44 76 51 57

customercare@jvd.fr

## CENTRE DE RESSOURCES

Chez JVD, nous souhaitons que votre armoire s'intègre parfaitement dans votre quotidien. Pour vous accompagner, nous avons développé un Centre de ressources digital, accessible à tout moment, pour répondre à vos questions et vous guider dans l'utilisation quotidienne de votre équipement. Ce centre est conçu pour vous faciliter la vie : n'hésitez pas à en profiter pleinement.

